



PE-50/UC/UCC

**ELECTRIC
PRESSES**

AGME
Automated assembly solutions

ELECTRIC PRESSES

INTELLIGENT PRESSING SOLUTIONS WITH SERVO TECHNOLOGY

The AGME PE electric presses and servo presses are the intelligent solution to perform assembly and forming processes which require critical precision, control and monitoring of the pressing results.

AGME PE electric presses deliver an integrated and flexible solution that enables the user to control all process parameters, to a high degree of precision, across the total press range including position, load and speed. AGME PE servo presses are fully electric and do not require any pneumatic or hydraulic power source. All of our presses have full CE certification and are completely developed at AGME Automated Assembly Solutions using the latest servo technology.



/PE-50

/ ADVANTAGES

High accuracy and functionality

- Different functions and working modes: stroke, load, distance from contact and pressing time.
- Load measurement accuracy of $\pm 5\%$ (standard), $\pm 0,5\%$ if the load cell kit is included (optional).
- Robust frame, dynamic compensation system and a high repeatability give more accuracy than the conventional pressing systems.

AGME electric presses meet the real needs of every application and deliver exact results, even in the toughest industry environments.

Higher quality control

- Higher pressing process control: speed, repeatability and increased capacity to optimize your application.
- Load-stroke graph display to monitor the process.

- Ability of adding control windows to guarantee high quality pressing results.

Flexibility and adaptability

Available in three versions:

- **PE-50** stand-alone electric press.
- **PE-50 UC** basic electric cylinder.
- **PE-50 UCC** intelligent servo press.
- The servo press heads have a compact design and are easily integrated vertical or horizontally into automatic and manual assembly lines.
- Easy to use software that allows data collection and the results monitoring without any specific training.
- Increased flexibility through the selection and control of the most important process parameters.
- Large storage capacity for recording results.

Environment friendly

- Significant energy savings in comparison to the non-electric presses.
- Reduced maintenance that minimizes the production lines stop times.
- Less noise generation than the non-electric systems.
- Safer and cleaner working environment.



/ SOFTWARE AND CONTROLS

The press control integrates a Siemens PLC allowing the management of different working methods: position, range, distance from contact and time in constant force.


Free software with intelligent functions to monitor the process and complete reports of the pressing results including:

- Load in stroke, distance from contact, contact position, final position and final load.

- Pressing curves.
- PC storage of the results of every process in csv. files.
- Capacity for 100 working programs.
- Integration of warnings and alarms.

The PE-50 UCC servo press head also integrates the PLC and the software of the electric press.

Safety brake is included as standard in the PE-50 electric press and optional in the PE-50 UC / UCC servo press heads.



/ APPLICATIONS



AGME electric presses have **multiple applications** in both component assembly processes and in other related operations: joining, insertion, pressing, bending, riveting, rolling over, flaring, punching, clinching, test, control and marking.

In addition, our standard presses can be **adapted to the specific needs of every application** in terms of dimensions, frame and control functions and can be delivered as "turnkey" solutions.

The **industries** where AGME electric presses and servo press heads are supplied include:

- Automotive (suspension systems, seat frame components, electric windows, wipers, brake systems, airbags and wheel hubs, among others).
- Other industries such as household appliances, metal fittings and furniture industries.

Furthermore, our servo press heads are the **ideal solution** for manufacturers of special machines, integrators, technical offices and engineering firms that need to develop components assembly stations.

/PE-50/UC/UCC

The AGME **PE-50** electric press comprises of the frame, electric cylinder, electric components and safety systems. The press works in a self-sufficient and intelligent way and is managed by a Siemens PLC, control software and a 12" HMI Interface tactile panel in an integrated industrial PC.

The **PE-50 UC** servo press heads are electric press systems which include the servomotor and a driver but exclude the control unit. This allows the customer the flexibility to integrate a controller and software of their choice and complete their own cabling / electrical cabinet design.



The **PE-50 UCC** servo press head is an intelligent press which has a servomotor / driver and PLC (with the press programs installed) supplied with a mounting plate. All that's required is the integration into the machine electrical cabinet and programming through a laptop or the machine PC.



/PE-50 UC

/ TECHNICAL CHARACTERISTICS

MODEL	PE-50	PE-50 UC	PE-50 UCC
Load capacity	5 - 50 kN	5 - 50 kN	5 - 50 kN
Máximum stroke	200 mm	200 mm	200 mm
Maximum approach speed without load	240 mm/sec	240 mm/sec	240 mm/sec
Working speed under load	1- 35 mm/sec	1- 35 mm/sec	1 - 35 mm/sec
Position repeatability	±0.01 mm	±0.01 mm	±0.01 mm
Load measurement accuracy (see options)	±5%	±5%	±5%
Voltage	3 x 400VAC 50Hz.	3 x 400VAC 50Hz.	3 x 400VAC 50Hz.
Installed power	17KVA	7KVA	7KVA
Maximum die weight	100 Kg	100 Kg	100 Kg
Tool coupling diameter	Ø30 H7 x 40 mm	Ø30 H7 x 40 mm	Ø30 H7 x 40 mm
Machine's general dimensions	1094 x 940 x 2190 mm	489 x 300 x 777 mm	489 x 300 x 777 mm
Weight	560 Kg	120 Kg	130 Kg
CE certification	●	●	●
Servo motor and driver	Bosch-Rexroth	Bosch-Rexroth	Bosch-Rexroth
PLC Siemens	Integrated	-	On a mounting plate
Control Circuit	24V DC	-	24V DC
Control software	●	-	●
Complete electric cabinet	●	-	-
12" HMI Interface tactile panel	●	-	-
Safety brake	●	-	-
Die maximum dimensions	500 x 200 x 390 mm	-	-
Bench dimensions	300 x 198 mm	-	-
"T" dimensions	M10	-	-
Throat depth	165 mm	-	-
Distance between machine table and spindle	400 mm	-	-
OPTIONS			
Load measurement accuracy with a load cell	±0,5%	±0,5%	±0,5%
Special course up to 400 mm	●	●	●
Safety brake	-	●	●
10" HMI Interface tactile PC-panel	-	-	●



AGME WORLDWIDE

Global presence

EUROPE

AUSTRIA

Siems & Klein

Großmarktsraße 10-12 1230
Wein, Austria
T: +43 01 61008-0
F: +43 01 6167444
dvogl@siems-klein.at

BELGIUM

Heesen-ICA BV

Afrikalaan, 14a
5232 BD 's-Hertogenbosch
Netherlands
T: +31 (0)73 641 73 65
info@heesen-ica.nl

CZECH REPUBLIC

Servis - Technologie

Stříbrského 683/14
149 00 Praha 11
CZ – Czech Republic
T: +420 731 626 802
info@servis-technologie.cz

SLOVAKIA - HUNGARY

Prospot SK

Reviczkeho, 31
946 03 Kolarovo, Slovakia
T: +421 (0) 35 760 4671
F: +421 (0) 35 760 4672
juraj@prospot.sk

FRANCE

Pro-Dis

2 rue Edouard Martel 42100
Saint Etienne France
T: +33 (0) 427 64 80 84
F: +33 (0) 477 36 62 90
j.vankatwijk@pro-dis.fr

GERMANY

Grimm Handels Consulting

Lindenstrasse, 4
Wald Fischbach-Burgalben
DE-67714, Germany
T: +49 (0) 6333 6891676
M: +49 (0) 176 222 40666
grimm@agme.net

GREAT BRITAIN

W.G. Challenor

54, Coventry Road
Pailton, Rugby
Warwickshire CV23 0QB
T: +44 (0) 1788 833301
wgcrivet@gmail.com

ITALY

B-Fluid S.r.l

Via Pastrengo, 122/1
10024 Moncalieri (To), Italy
T: +39 (0) 116 822 282
F: +39 (0) 116 822 257
sergio.pezzutto@bfluid.it

NETHERLANDS

Heesen-ICA BV

Afrikalaan, 14a
5232 BD 's-Hertogenbosch
Netherlands
T: +31 (0)73 641 73 65
info@heesen-ica.nl

POLAND

AGME Polska

Al. Korfantego 2/156
40-004 Katowice, Poland
T: +48 32 206 89 31
F: +48 32 206 89 31
agme@slask.es

PORTUGAL

Europneumaq

Rua da Senhora Mestra, 35
4410-511 SERZEDO VNG
Portugal
T: +351 227 536 820
F: +351 227 620 335
n.soares@europneumaq.pt

ROMANIA

Bmf Creativ Srl

Str. Ghirlandei nr. 2
062244 Bucharest 6, Romania
T: +40 21 769 6971
F: +40 31 4027 118
M: +40 72 2458 921
office@bmf-creativ.ro

SLOVENIJA

Mb-Naklo

Toma Zupana 16
4202 Naklo, Slovenija
T: +386 4 2771 713
F: +386 4 2771 717
andraz.potocnik@mb-naklo.si

TURKEY

Enar makina & metal san ve tic.ltd.

Esentepe Mah.
Kucuk San.Sitesi.20.Blok. No:5
34265 Sultangazi-Ystambul
T: +90 212 4753272
F: +90 212 6190500
info@enarmakina.com

ASIA

CHINA

Shanghai Husu

M&E Technology Co. Ltd
Rm 7019 Songgang Building, No.567
North Songwei Rd,
Shanghai China, 201613
T: +86 (21) 5772 9256
ventes@husu-tech.com

INDIA

Ruhlat Automation Technologies I Pvt, Ltd

Plot No. E-7/2, E Block,
Chakan Industrial Area, Phase III,
Opposite to ARemond Fastners,
Nighoje, Near Mercedes Benz,
M.I.D.C. Chakan,
Pune 410501. India
M: +91 9405 641066
T: +91 2135 679999 ext. 225
pradeep.phawade@ruhlat.in

ISRAEL

D.M.S.I.L. machine tools Ltd.

P.O.B. 561, Ashdod,
Israel 7710402
T: +972 8 8525924
F: +972 8 8526096
dmsil@zahav.net.il

AMERICA

BRAZIL

Tecmix Ltda.

Rua Arandu, 660 s.121
Cep 4562-031, São Paulo
SP Brazil
T: +55 (11) 4521 3469
M: +55 (19) 9 9700 4334
alberto.kolm@outlook.com

CANADA

Rocwood Distribution

3376 Eglinton Ave West
L5M 7P2, Mississauga, Ontario,
Canada
T: +1 416 230 3087
agme@rocwoodmfg.com

MEXICO

Somaco

Arco de la Lealtad 102-67
Col San Pedrito los Arcos
76148 Santiago de Querétaro
Querétaro
T: +52 01 442 403 1288
proyectos@somaco.mx

USA

Veraflor

46 Wild Goose Cove
Ringgold GA 30736
T: +1 706 537 2336
juanflores@veraflor.net

AFRICA

EGYPT

E.G.Tech

12 El-Adeeb Ali Adham St.,
Masaken Sheraton, Heliopolis,
Cairo, Egypt.
T: +2 02 22682257
F: +2 02 22682259
egtech@link.net

Available from

PREMiTEC

www.premitec.co.uk

Aguirregomezcorra y Mendicute S.A.

Apdo. 263. B° Acitain,7
20600 Eibar. Gipuzkoa. Spain
T:+34 943 121 608
F:+34 943 121 572
agme@agme.net
www.agme.net

AGME
Automated assembly solutions